

Re: Merrimack Station / indirect discharges to POTWs



05/31/2012 09:36 AM

Mark Stein to: Tom Irwin Cc: John King, Damien Houlihan

Mark Stein/R1/USEPA/US From: Tom Irwin <tirwin@clf.org> To:

Cc: John King/R1/USEPA/US@EPA, Damien Houlihan/R1/USEPA/US@EPA

Hi Tom - Two things in response to your letter of May 18, 2012.

First, we will make available to you (or your colleagues) the material submitted to us by PSNH in response to our CWA section 308 information request letter. We have the material in a box here at our Boston office. You (or one of your colleagues) may call John King (at 617-918-1295) to arrange a time to come review the material.

Second, with regard to your question concerning whether EPA received direct notice from any POTWs concerning their receipt or intent to receive wastewater from Merrimack Station, we are internally double-checking on the answer to your question. The last time we looked into this, the answer was that no POTW notified us directly but NH DES knew about certain facilities accepting Merrimack Station wastewater and DES had informed us about these facilities. We are now double-checking whether we received any notifications from POTWs since our earlier inquiry and will follow up with another email when we finish this effort.

-- Mark Stein

Mark A. Stein U.S. Environmental Protection Agency **New England Region** 5 Post Office Square - Suite 100 (ORA 18-1)

Boston, MA 02109-3912

Tel.: (617) 918-1077 E- Fax: (617) 918-0077

> Tom Irwin Mark, As a follow-up to our recent conversation,... 05/18/2012 10:15:15 AM

From: Tom Irwin <tirwin@clf.org> Mark Stein/R1/USEPA/US@EPA To:

05/18/2012 10:15 AM Date:

Merrimack Station / indirect discharges to POTWs Subject:

Mark,

As a follow-up to our recent conversation, please see the attached correspondence.

Many thanks, Tom

Tom Irwin

Vice President Director, CLF New Hampshire 27 North Main Street

Concord, NH 03301-4930

P: 603-225-3060, ext. 3013

E: tirwin@clf.org

For a thriving New England

* * * * * * * * * * * * * * * * * * * *	ATTACHMENT	NOT	DELIVERED

This Email message contained an attachment named image001.jpg

which may be a computer program. This attached computer program could

contain a computer virus which could cause harm to EPA's computers,

network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced

into the EPA network. EPA is deleting all computer program attachments

sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you

should contact the sender and request that they rename the file name

extension and resend the Email with the renamed attachment. After

receiving the revised Email, containing the renamed attachment, you can

rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

******	ATTACHMENT	NOT	DELIVERED

[attachment "2012-5-18 letter to Mark Stein, EPA.pdf" deleted by Mark Stein/R1/USEPA/US]